



CIRQA

Pattern Name	Pattern Prefix	Type	Width (average)	Total Weight oz/linear yard (average)	Total Weight oz/square yard (average)	Total Weight gr/square meter (average)	Backing	Fire Hazard Classification Class A (ASTM E-84)		Repeat	Installation
								Flame Spread	Smoke Developed		
All Cirqa® products meet or exceed all Type II requirements of CCC-W-408A/D and Industry Voluntary Standard CFFA-W-101A/D. Meets California Section 01350 Indoor Air Quality Standard (Low VOC). Custom colors, weights, widths, Permavent® and Second-Look® are available.											
Cirqa®											
Argentine	Q12	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Bahia	Q34	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Beau Monde	Q50	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	26.5" H x 18" V	Non-reverse hang / Horizontal alignment
Bolero	Q04	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Bolero Stripe	Q11	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	5.75" H	Reverse hang / Random match
Calabria	Q02	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Cambric	Q07	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Dotz	Q56	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20		Reverse hang / Horizontal alignment
Ikat	Q22	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Ikat 2	Q40	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Incense	Q17	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20		Non-reverse hang / Random match
Laramie	Q10	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Limestone	Q45	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20		Reverse hang / Random match
Limestone Quarry	Q46	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	27" H x 18" V	Reverse hang / ½ Drop match
Limestone Strata	Q47	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	13.5" H x 18" V	Reverse hang / Straight across match
Lucy In the Sky	Q48	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	24" V	Non-reverse hang / Straight across match



CIRQA

Pattern Name	Pattern Prefix	Type	Width (average)	Total Weight oz/linear yard (average)	Total Weight oz/square yard (average)	Total Weight gr/square meter (average)	Backing	Fire Hazard Classification Class A (ASTM E-84)		Repeat	Installation
								Flame Spread	Smoke Developed		
All Cirqa® products meet or exceed all Type II requirements of CCC-W-408A/D and Industry Voluntary Standard CFFA-W-101A/D. Meets California Section 01350 Indoor Air Quality Standard (Low VOC). Custom colors, weights, widths, Permavent® and Second-Look® are available.											
Lumière	Q15	I	52/54" (132/137 cm)	15	10	339	Scrim	15	40		Reverse hang / Straight across match
Marquetry	QSL-51	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Monroe	Q39	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Non-reverse hang / ½ Drop match
Nouveau Medallion	Q52	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	18" V	Reverse hang / 10.6" Half drop match
Orbit	Q24	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	26.5" H x 24" V	Non-reverse hang / Straight across match
Orbit	Q49	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	26.5" H x 24" V	Non-reverse hang / Straight across match
Prisma	Q36	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Salttillo	Q35	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	26"H x 18"V	Reverse hang / Straight across match
Scriblett	Q33	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Sputnik	Q16	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	2-5/8" H x 2-5/8" V	Reverse hang / Straight across match
Streamlines	Q23	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Sukari	Q26	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Sukari Stripe	Q27	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	2.75" H	Reverse hang / Random match
Tiki	QSL-57	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Watercolour (also in Watercolour Collection)	Q28	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Watercolour Twine (also in Watercolour Collection)	Q29	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match



CIRQA

Pattern Name	Pattern Prefix	Type	Width (average)	Total Weight oz/linear yard (average)	Total Weight oz/square yard (average)	Total Weight gr/square meter (average)	Backing	Fire Hazard Classification Class A (ASTM E-84)		Repeat	Installation
								Flame Spread	Smoke Developed		
All Cirqa® products meet or exceed all Type II requirements of CCC-W-408A/D and Industry Voluntary Standard CFFA-W-101A/D. Meets California Section 01350 Indoor Air Quality Standard (Low VOC). Custom colors, weights, widths, Permavent® and Second-Look® are available.											
Waterfall	QSL-53	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Waterfall Damask	QSL-54	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40	26½" H x 24" V	Non-reverse hang / Straight across match
Xenia	Q38	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Radius											
Affina	QR14	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	4-5/16" H x 4-5/16" V	Non-reverse hang / Straight across match
Ciara	QR16	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	4" V	Non-reverse hang / Straight across match
Cosmo	QR17	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	36 5/16" V	Non-reverse hang / ¼ Drop match
Cubix	QR18	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	3" H x 3" V	Non-reverse hang / Straight across match
Cycas	QR05	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	26" H x 17-7/8" V	Non-reverse hang / Straight across match
Diaz	QR21	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	10.375" H x 5.25" V	Non-reverse hang / Straight across match
Dralla	QR01	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Non-reverse hang / Random match
Dralla Stripe	QR07	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	13" H	Non-reverse hang / Random match
Ducelene	QR11	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	26½" H x 35½" V	Non-reverse hang / ½ Drop match
Ducelene Stripe	QR13	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	17½" H	Non-reverse hang / Random match
Jario	QR12	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	4-5/16" H x 2-1/8" V	Non-reverse hang / Straight across match
Ladue	QR09	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	15¼" H x 18" V	Non-reverse hang / ½ Drop match
Quadro	QR15	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20		Non-reverse hang / Random match



CIRQA

Pattern Name	Pattern Prefix	Type	Width (average)	Total Weight oz/linear yard (average)	Total Weight oz/square yard (average)	Total Weight gr/square meter (average)	Backing	Fire Hazard Classification Class A (ASTM E-84)		Repeat	Installation
								Flame Spread	Smoke Developed		
All Cirqa® products meet or exceed all Type II requirements of CCC-W-408A/D and Industry Voluntary Standard CFFA-W-101A/D. Meets California Section 01350 Indoor Air Quality Standard (Low VOC). Custom colors, weights, widths, Permavent® and Second-Look® are available.											
Rotor	QR02	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Non-reverse hang / Random match
Royal Arbus	QR03	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	26" H x 21.75" V	Non-reverse hang / Straight across match
Scoop	QR20	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Non-reverse hang / Straight across match
Tsunami	QR06	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Non-reverse hang / Random match
Vandemere	QR08	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	13" H x 18" V	Non-reverse hang / ½ Drop match
Xana Stripe	QR10	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	13" H	Non-reverse hang / Random match
Xavier	QR04	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	26" H x 12" V	Non-reverse hang / Straight across match
Second-Look® (contains at least 20% recycled content, minimum 10% post-consumer; Low VOC)											
Acacia	QSL-42	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Aesteria	QSL-43	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Avion	QSL-44	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Bolero	QSL-04	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Cora	QSL-41	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Ikat	QSL-22	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Marquetry	QSL-51	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Scriblett	QSL-33	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Streamlines	QSL-23	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match



CIRQA

Pattern Name	Pattern Prefix	Type	Width (average)	Total Weight oz/linear yard (average)	Total Weight oz/square yard (average)	Total Weight gr/square meter (average)	Backing	Fire Hazard Classification Class A (ASTM E-84)		Repeat	Installation
								Flame Spread	Smoke Developed		
All Cirqa® products meet or exceed all Type II requirements of CCC-W-408A/D and Industry Voluntary Standard CFFA-W-101A/D. Meets California Section 01350 Indoor Air Quality Standard (Low VOC). Custom colors, weights, widths, Permavent® and Second-Look® are available.											
Tiki	QSL-57	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Watercolour	QSL-28	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Waterfall	QSL-53	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Waterfall Damask	QSL-54	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40	26½" H x 24" V	Non-reverse hang / Straight across match
Watercolour Collection											
Watercolour	QW1	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Watercolour Crown	QW2	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	26" H x 24" V	Non-reverse hang / Straight across match
Watercolour Laurel	QW4	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	17.25" H x 18" V	Non-reverse hang / Straight across match
Watercolour Scroll	QW6	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	26" H x 18" V	Reverse hang / Straight across match
Watercolour Spire	QW7	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	26" H x 9" V	Reverse hang / Straight across match
Watercolour Stripe	QW3	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	6.5" H	Reverse hang / Random match
Watercolour Twine	QW5	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Cirqa Selections											
	G01	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
	G02	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
	G03	I	52/54" (132/137 cm)	15	10	339	Scrim	15	40		Reverse hang / Random match
	G04	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match



CIRQA

Pattern Name	Pattern Prefix	Type	Width (average)	Total Weight oz/linear yard (average)	Total Weight oz/square yard (average)	Total Weight gr/square meter (average)	Backing	Fire Hazard Classification Class A (ASTM E-84)		Repeat	Installation
								Flame Spread	Smoke Developed		
All Cirqa® products meet or exceed all Type II requirements of CCC-W-408A/D and Industry Voluntary Standard CFFA-W-101A/D. Meets California Section 01350 Indoor Air Quality Standard (Low VOC). Custom colors, weights, widths, Permavent® and Second-Look® are available.											
	G05	I	52/54" (132/137 cm)	15	10	339	Scrim	15	40		Reverse hang / Random match
	G06	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
	G07	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
	G08	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
	G09	I	52/54" (132/137 cm)	15	10	339	Scrim	15	40		Reverse hang / Random match
	G10	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
	G11	I	52/54" (132/137 cm)	15	10	339	Scrim	15	40		Reverse hang / Random match
Cirqa Selections II											
	G20	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
	G21	II	52/54" (132/137 cm)	15	10	339	Scrim	15	40		Reverse hang / Random match
	G22	I	52/54" (132/137 cm)	15	10	339	Scrim	15	40		Reverse hang / Random match
	G23	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
	G24	I	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
	G25	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
	G26	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
	G27	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
	G28	I	52/54" (132/137 cm)	15	10	339	Scrim	15	40		Reverse hang / Random match



CIRQA

Pattern Name	Pattern Prefix	Type	Width (average)	Total Weight oz/linear yard (average)	Total Weight oz/square yard (average)	Total Weight gr/square meter (average)	Backing	Fire Hazard Classification Class A (ASTM E-84)		Repeat	Installation
								Flame Spread	Smoke Developed		
All Cirqa® products meet or exceed all Type II requirements of CCC-W-408A/D and Industry Voluntary Standard CFFA-W-101A/D. Meets California Section 01350 Indoor Air Quality Standard (Low VOC). Custom colors, weights, widths, Permavent® and Second-Look® are available.											
Cirqa Selections III											
	G30	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
	G31	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
	G32	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
	G33	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
	G34	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
	G35	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20		Reverse hang / Random match
	G36	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
	G37	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
	G38	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
	G39	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
	G40	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
	G41	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match